


Free

Reverso en español



# PREMIUM VINYL WINDOWS AND SLIDING PATIO DOORS



Exclusively at



OR



See an associate

Visit [Lowe's.com](https://www.lowes.com)

©2025 Lowe's. LOWE'S, Gable Mansard Design, and RELIABILT are registered trademarks of LF, LLC. All are used with permission.



## Why RELIABILT?

For years RELIABILT has been recognized for value, performance and style. Today's RELIABILT vinyl windows reflect those same qualities and are built to provide decades of energy-efficient, low-maintenance performance.



### TABLE OF CONTENTS

#### CHOOSE THE RIGHT WINDOW

pages 3-8

#### REPLACEMENT WINDOWS

pages 9-15

#### NEW CONSTRUCTION WINDOWS

pages 16-18

#### SLIDING VINYL PATIO DOORS

pages 19-20



RELIABILT offers a complete line-up of vinyl windows for any new construction or home improvement need. With easy installation and long lasting performance, RELIABILT windows will enhance your home for years to come.

# 5 Easy Steps to Choosing the Right Windows

A simple breakdown on how to decide which window type is best for your project.

## STEP 1

### Do you need Replacement OR New Construction windows?

You need  
**Replacement**  
windows for:



- Replacing old, cracked or painted shut windows
- Upgrading to more energy efficient windows
- When installing into an existing window opening

**Replacement** windows  
DO NOT have an installation/nauling fin.

You need  
**New Construction**  
windows for:



- Remodeling or room additions
- New construction or home building
- When the existing frame is completely removed

The primary distinction of the windows of **New Construction** is the presence of an installation/nauling fin

## STEP 2

### Choose your features and styles

What is important to you about new windows? Is it energy efficiency? Upgraded strength and insulation? Performance glass? And which operating styles fits best with your home?

See pages 4-18 to view the key RELIABILT features and styles to create the your perfect window




## STEP 3

### Choose your window options

RELIABILT windows are available with a wide selection of design options, energy-efficient solutions and functional styles. Choose from glass enhancements, style upgrades and grid choices.

See the full options assortment on pages 7-8.



## STEP 4

### Determine and verify the correct window size

If there is any doubt about what size to order for the opening(s), please consult a professional contractor.



## STEP 5

### Decide who will install your windows

Do it yourself or have a professional install for you. Please ask an associate for complete details.





## Designed for Performance

RELIABILT windows offer long-lasting strength and energy efficiency. Take a closer look at some of the key features that make our windows weather resistant, durable and make your home comfortable.



### Limited lifetime warranty for increased peace of mind.

RELIABILT products come standard with a limited lifetime warranty. In some cases, warranties are transferable and may be upgraded. Visit [reliabilt.atriumwindows.com](http://reliabilt.atriumwindows.com) for full warranty details.\*

## KEY FEATURES:

### 1. Vinyl Construction

Virgin vinyl requires less maintenance over time, since it does not peel or chip like painted wood windows.

### 2. All-Welded Frame and Sash

Fusion-welded sashes and frame add strength and boost insulation.

### 3. Locking Systems

Low profile, positive-action cam locks or sweep locks increase security.

### 4. Insulated Glass with Warm-Edge Spacer

Insulated glass provides outstanding thermal efficiency and spacers separate and secure the glass panes to optimize the performance and structure of the glass (Series 3900 triple pane glass option with Warm-Edge Spacer shown here).

### 5. Gas Fill (optional)

Non-toxic gases inserted between the glass panes, instead of air, help further insulate the window and increase efficiency.

### 6. Performance Glass Options

We offer a wide selection of glass options for your region, that decrease the amount of temperature transfer from outside your home.

### 7. Integrated Lift Rail

Slim-line lift rail allows you to easily lift and lower the sash.

### 8. Sloped Sill

Full vinyl sash dam on sill and high performance weather stripping protect against air infiltration.

### 9. Thermal Insulation

Optional multi-cavity, insulating material fills cavities within the frame to improve the efficiency of your windows (only available in select series).




\* Please visit [reliabilt.atriumwindows.com](http://reliabilt.atriumwindows.com) for complete warranty information and coverage exclusions.

Note: Manufacturer reserves the right to substitute components as necessary for continuing product improvement.




## Smart Energy Saving Options

Energy efficient windows and doors that will start to pay for themselves.



In the summer, Low-E glass reduces heat gain from the sun to help keep homes cooler.



In the winter, Low-E glass lets the warm solar rays in while blocking the heat in the home from getting out.

### Low-E Glass Technology<sup>1</sup>

During the winter, this high-tech glass lets natural light and warmth in. During the summer, it reflects heat. This gives you better insulation, less condensation and greater energy savings all year.

### Low-E Glass with Insulating Argon Gas


Argon gas forms an invisible blanket between window glass panes and creates a buffer against outside noise.

### Ultra Low-E glass with Argon Gas

Choose this option for optimal energy efficiency and maximum cost savings. Ultra Low-E glass offers three invisible layers of silver coating in addition to the superior thermal performance of argon gas.

### Qualification Criteria for Residential Windows

#### ENERGY STAR Climate Zone Map



ENERGY STAR Version 7.0 – Effective Date 10/23/2023

- 1 Low emissivity (Low-E) glass reflective properties and solar control performance according to Cardinal Glass and National Fenestration Rating Council (NFRC). Please see [www.cardinalcorp.com](http://www.cardinalcorp.com) for additional information on solar control glass.
- 2 ENERGY STAR certification based on individual window's or door's glass and grid configuration meeting both U-Value and Solar Heat Gain Coefficient as established by each ENERGY STAR climate zone.



Many RELIABILT products can be configured to meet ENERGY STAR® ratings in most climate zones. Verify product specifics before ordering.

▲ Series 3900 picture windows in Cherry laminate


© ENERGY STAR is a registered trademark of the U.S. Department of Energy.



## Operating Style Options

You can design an efficient solution that matches your home's specific design, with our variety of style options and configurations.


### WINDOW TYPES:



DOUBLE HUNG




Available on Series 3900, 3500, 3201 & 460/455/450



SINGLE HUNG



Available on Series 3100, 3050, 160/150, 130 & 105




2-panel widths are available with right-hand, left-hand or 2-panel operation

2-lite SLIDER



Available on Series 3900, 3500, 3201, 3100, 3050, 451, 151, 130 & 105




3-panel widths are available with both sides operating and fixed center


3-lite SLIDER




Available on Series 3900, 3500, 3201, 3100, 3050, 451, 151, 130 & 105



PICTURE & SHAPES



Available for all RELIABILT Series



AWNING




Available in colors and options to match all RELIABILT Series



CASEMENT




Available in colors and options to match all RELIABILT Series




BAY\*




Available for select RELIABILT Series



BOW\*



Available for select RELIABILT Series




GARDEN\*



Available for select RELIABILT Series

\*Bay and Bow windows are available with optional flanker double hung, casement, and picture windows.


### SLIDING PATIO DOOR TYPES:



SLIDING PATIO DOOR



Available in Models 332, 312, 311 & 300



SLIDING PATIO DOOR WITH BLINDS BETWEEN THE GLASS



Available in Models 332, 312 & 300

## Design Options


RELIABILT widows are available with a wide selection of design, energy efficiency and performance options.

Note: Options can vary by series. See Single Hung and Double Hung Replacement Windows Design Options chart on page 8 for details.

### Vinyl Color Options\*\*



### Woodgrain & Laminate Options\*\*




### Exterior Painted Color Options\*\*



### Grid Types

- Flat and Contoured Grids are BETWEEN the glass panes.
- SDL Grid is OUTSIDE the glass panes, available in select series.



### 3900 Window Lock Options\*\*




## Series 3900 INSULKOR™ TECHNOLOGY:

Only available on the Series 3900

InsulKor™ technology is a system of sash and frame enhancements that dramatically improves the performance of the Series 3900 double hung window. Our exclusive InsulKor fiberglass-enriched polyurethane sash reinforcement yields better energy efficiency while maintaining the structural integrity of traditional metal reinforcement.

The optional InsulKor foam injections add thermal-enhancing insulation in specific hollows of the frame.

This window is one of the most energy efficient when combined with either of our R-5 rated, triple-pane glazing systems, these InsulKor enhancements help make the Series 3900 one of the most energy efficient, strongest window systems available today.



1. R-5 compliant with triple pane glass
2. Super Spacer® sealant system available for triple pane glass systems on Series 3900 windows
3. InsulKor fiberglass-enriched polyurethane sash reinforcement (available in Series 3900 only)
4. Optional InsulKor multi-cavity foam-filled frame injections (available in Series 3900 and 3201)

\*\* Printing process may affect color shown. Please refer to actual window sample when selecting colors.



A bright, modern kitchen interior featuring a green island with a white countertop. Two black metal bar stools with wooden seats are positioned at the island. The background includes a white wall with two large, multi-paned windows and a glass door leading outside. A potted plant and a small table with flowers are visible near the door. The floor is made of light-colored wood.

**RELIABLE  
PERFORMANCE,**

**BUILT TO LAST.**



# Replacement Window Features (listed by model)


Available in hung, slider and picture window styles. Additional complimentary styles also available.

STANDARD FEATURES	3050	3100	3201	3500	3900
Maintenance-free, premium vinyl construction	S	S	S	S	S
All-welded frame and sash corners for strength and integrity	S	S	S	S	S
Insulated glass with warm-edge spacer for thermal efficiency	S	S	S	S	S
Integrated full-length, slim line lift rail	S	S	S	S	S
Full perimeter weather stripping and heavy duty rubber bulb seal	S	S	S	S	S
Sloped sill for easy water run-off; no weep holes to clog or whistle	S	S	S	S	S
Sweep lock	S	n/a	n/a	n/a	n/a
Deluxe cam lock	n/a	S	S	S	S
Beveled mainframe for aesthetic appeal	n/a	S	S	S	S
Block and tackle balance sash operation system	S	S	n/a	n/a	n/a
Constant force coil balance sash operation system	n/a	n/a	S	S	S
InsulKor™ fiberglass-enriched polyurethane reinforcement	n/a	n/a	n/a	n/a	S
InsulKor multi-cavity foam-filled frame	n/a	n/a	O	n/a	O
Push button night ventilation latches	n/a	n/a	S	S	S
Factory mulling	O	O	O	O	O
Extruded half screen	n/a	n/a	S	S	S
Extruded full screen	n/a	n/a	O	O	O
Roll form half screen	S	S	n/a	n/a	n/a
FLEXSCREEN® half screen (regional availability)	n/a	n/a	O	O	O
FLEXSCREEN® full screen (regional availability)	n/a	n/a	O	O	O

DESIGN OPTIONS	3050	3100	3201	3500	3900
White vinyl (exterior and interior)	S	S	S	S	S
Almond vinyl (exterior and interior)	O	O	O	O	O
Interior wood laminate (Light Oak, Dark Oak or Cherry)	n/a	n/a	n/a	n/a	O
Exterior Black laminate	n/a	n/a	O	n/a	n/a
Exterior Bronze laminate	O	n/a	n/a	O	n/a
Exterior painted color: Black, Hunter Green, Dark Chocolate, Terratone, Clay, Brick Red, Gray, Bronze or Tan (white interior only; painted 5/8" contoured and SDL grids optional)	n/a	n/a	O	n/a	O
3/4-in or 5/8-in colonial or diamond grid	O	O	O	O	O
5/8-in or 1-in contoured grid	O	O	O	O	O
1-1/8-in simulated divided lite	n/a	n/a	n/a	O	O
Brass or Brushed Nickel lock <sup>1</sup>	n/a	n/a	n/a	n/a	O

GLASS OPTIONS <sup>2</sup>	3050	3100	3201	3500	3900
Double strength glass	O	O	O	O	O
Low-E Glass	O	O	O	O	O
Low-E Glass and Argon Gas	O	O	O	O	O
Ultra Low-E Argon Glass Package	O	O	O	O	O
Triple-pane, R-5 compliant glass with Super Spacer®	n/a	n/a	n/a	n/a	O

WARRANTIES	3050	3100	3201	3500	3900
Individually registered product number	S	S	S	S	S
Transferable, limited lifetime warranty	S	S	S	S	S
25-year glass breakage warranty	n/a	n/a	n/a	S	n/a
Lifetime glass breakage warranty	O	O	O	O	S
Lifetime service coverage warranty	O	O	O	O	O
Lifetime glass breakage and service coverage warranty	O	O	O	O	O



## Our Warranty

RELIABILT windows and doors come with increased peace of mind.

Each RELIABILT Replacement window comes with a standard Limited Lifetime Warranty on the vinyl and all working parts, including screens.\*

For RELIABILT New Construction Windows and all Patio Doors, we offer a Limited Lifetime Warranty covering any vinyl factory defects.\*\*

Each RELIABILT product is labeled with a specific product identification number prominently displayed on a special sticker for your convenience. Refer to this ID number if ever you call to order new parts.

DO NOT REMOVE  
MAKE DATE: 6/2/2025 WARRANTY: 02589514  
SALES ORDER: 00735962

\* Prorating may apply and labor is not covered. Screens are not meant to restrain a child from falling through an open window.

\*\* Visit the product detail page on [Lowes.com](https://www.lowes.com) for full warranty information.

1 Other window series locks are color matched to your vinyl color of choice.

2 Insulated glass is prorated depending on series and accidental glass breakage coverage is available. The warranty is also transferable one time only by the original single family.


NOTE: Manufacturer reserves the right to substitute components as necessary.

S = Standard O = Option n/a = not applicable



## Series 3900

Our premier window, the 3900 features a number of deluxe enhancements made standard, a lifetime glass breakage warranty and our exclusive InsulKor™ sash technology for top-of-the-line energy efficiency and ultimate style.



▲ White Series 3900 double hung windows with colonial contoured grid


- Exclusive InsulKor™ polyurethane fiberglass enriched sash reinforcement, for superior thermal and structural performance
- Sashes tilt in for easy cleaning from inside your home
- Dual low profile locks increase security (2 locks standard at 27-1/4-in width or wider)
- Dual push-button night latches position sashes for optimal ventilation and safety
- Smooth sash operation with 3/4-in constant force coil balances
- Integrated slim line lift rail makes opening and closing the window easy
- On sliding windows, tandem rollers ride easily along friction free glide channel
- Standard with half screen on double hung and full screen on slider. Screens are removable from the inside\*
- Double Hung Design Pressure (DP) rating of 60 (window size tested 36-in x 74-in)
- Slider Design Pressure (DP) rating of 50 (window size tested 72-in x 48-in)
- 3-1/4-in jamb depth, ideal for most homes
- 4-1/4-in frame thickness enhances appearance as well as provides structural integrity

\* Screens are not meant to restrain a child from falling through an open window.



## Series 3500

The Series 3500 window offers advanced features and outstanding performance. This window boasts an appealing rounded interior sash profile and comes with deluxe hardware as standard.



▲ White Series 3500 double hung windows with contoured grid valance

- Aluminum-reinforced multi-cavity construction offers thermal protection and structural integrity
- Sashes tilt in for easy cleaning from inside your home
- 2 locks offer increased security (2 locks standard at 27-1/4-in width or wider)
- Interlocking sash design protects against weather infiltration
- Easy sash movement with a constant force coil balance system
- Sashes open and close easily with integrated lift rails on both sashes
- On sliding windows, tandem rollers ride easily along friction free glide channel
- Standard with half screen on double hung and full screen on slider. Screens are removable from the inside\*
- Water runs away from house due to sloped sill design
- Reduces air infiltration with dual-fin weather stripping and rubber bulb seal
- Ventilates nicely through extruded half screen\*
- Double Hung Design Pressure (DP) 35 rating (window size tested 44-in x 75-in)
- Optional Double Hung DP 50 rating (window size tested 36-in x 74-in)
- Slider Design Pressure (DP) 30 rating (window size tested 72-in x 48-in)
- Jamb depth: 3-1/4-in


\* Screens are not meant to restrain a child from falling through an open window.





## Series 3201

The Series 3201 is the industry's best value window. Both sashes operate and tilt in for easy cleaning from inside the home, and its insulated glass panels provide energy efficient performance in any climate.



▲ Black exterior laminate Series 3201 double hung windows

- Reinforced multi-cavity construction offers additional thermal protection and structural integrity
- Optional InsulKor™ foam filled frame
- 2 locks offer increased security (2 locks standard at 27-1/4-in width or wider)
- Push-button night vents position sashes for optimum ventilation
- Protection against weather infiltration by interlocking sash design
- Constant force coil balance system for easy sash movement
- Integrated lift rails allow sashes to open and close conveniently
- Sloped sill makes water run away from the house
- Series 3201 2-lite sliding windows have one fixed panel and one operating panel
- On sliding windows, tandem rollers ride easily along friction free glide channel
- Half screen is standard, and screens are removable from the inside\*
- Optional integrated nail fin
- Blocks air infiltration with dual-fin weather stripping and rubber bulb seal
- Ventilates nicely through extruded half screen\*
- Double Hung Design Pressure (DP) 35 (window size tested 36-in x 74-in)
- Slider Design Pressure (DP) 40 rating (window test size 72-in x 48-in)
- Jamb depth: 3-1/4-in

\* Screens are not meant to restrain a child from falling through an open window.



## Series 3100

Positioned for value, the 3100 is the perfect choice when budget matters most. The cost-effective single hung features a bottom tilting sash for accessible cleaning.



▲ White Series 3100 windows with colonial contoured grid

- 2 locks offer increased security (2 locks standard at 27-1/4-in width or wider)
- Block & tackle balance system allows for smooth operation
- Sash lifts easily with a full-length lift rail
- On sliding windows, tandem rollers ride easily along friction free glide channel
- Standard with half screen. Screens are removable from the inside.\*
- Water runs away from house due to sloped sill design
- Outside air ventilates through half screen on single hung\*
- Single Hung Design Pressure (DP) 50 rating (window size tested 36-in x 74-in)
- Jamb depth: 2-5/8-in



## Series 3050

3050 is our economical single hung and sliding window line. The side-load single hung has a non-tilting bottom sash.



▲ White Series 3050 windows with colonial flat grid

- 2 locks offer increased security (2 locks standard at 27-1/4-in width or wider)
- Easy sash movement with a block & tackle balance system
- Full-length slim lift rail for smooth operation
- On sliding windows, tandem rollers ride easily along friction free glide channel
- Water runs away from house due to sloped sill design
- Outside air ventilates through installed half screen\*
- Single Hung Design Pressure (DP) 50 rating (window size tested 36-in x 96-in)
- Jamb depth: 2-5/8-in



## Casement Windows

Our versatile vinyl casements crank open easily to provide ventilation or for cleaning. They come in a range of styles, from single vent to 5-lite combinations of fixed and operating units.



- Window opens full 90° for easy cleaning from inside your home
- Tandem locks come standard (34-in or greater heights)
- Low profile, nesting handles
- Full screens mount on the interior window and are easily removable\*
- Design Pressure (DP) 50 rating (window size tested 36-in x 72-in)
- Jamb depth: 3-1/4-in

### Options

- 2-in Simulated Meeting Rail
- Obscure or double strength glass
- Brass or Brushed Nickel locks
- Egress hardware
- Coastal Hardware
- Charcoal aluminum mesh, Clear View and heavy duty screen\*



## Awning Windows

The perfect way to provide controlled ventilation. Simply crank open our vinyl awning window to let in just as much fresh air as you want. Window opens to the outside, keeping indoors dry even on rainy days.



- Low profile, nesting handles
- Full screen comes standard and is easily removed\*
- Jamb depth: 3-1/4-in

### Options

- Obscure or double strength glass
- Brass or Brushed Nickel locks
- Coastal Hardware
- Charcoal aluminum mesh, Clear View and heavy duty screen\*

\* Screens are not meant to restrain a child from falling through an open window.





## Bay & Bow Windows

Bay windows and bow windows provide a picture-perfect, three-dimensional space for a cozy window seat, breakfast nook or plant ledge to complement your home's decor.



▲ Almond bow window with valance windows above

- Bay windows may be positioned at 30° or 45°
- Bow windows are positioned at 15°
- All units come completely assembled and ready for installation
- Add a double hung, casement, or picture window as an optional flanker
- 1-in birch head and seat board come standard
- Bay and bow windows come standard with a cable support system

### Options

- Oak head and seat board
- Custom sizes on 1/8-in increments
- Obscure, tempered and double strength glass available
- Optional flanker double-hung, casement, and picture windows can be included in the bay/bow, for added functionality
- Insulated seat board



▲ White bay window flanked by double hung windows



## Garden Windows

Garden windows accent your home with practical beauty. Easy to install and virtually maintenance free. Casement vents have a multi-point locking system with dual locking points on heights over 36-3/4-in, and a chemical and corrosive resistant finish on all window hardware.



▲ White garden window

- Ample space for plants or decorations with 17-1/2-in depth
- Crank open side casement windows for comforting ventilation
- Multi-point locking system and corrosion-resistant hardware
- Roof panel with safety-laminated glass for durability and protection
- All welded construction
- Interior base and jambs are unfinished and ready to paint or stain

### Options

- White or Almond
- Oak veneer frame
- 5/8-in flat grids between the glass
- Glass plant shelf (50-in and under) or wire plant shelf (over 50-in)



## Custom Shape Windows

From octagons and trapezoids to full circles, half rounds and more, we will custom build almost any window to help make your home stand out and fulfill your specifications.



▲ Clay eyebrow transom with colonial contoured

- Standard sizes are available, plus a full range of architectural options to accommodate any building style, from Colonial to Contemporary and Cape Cod to Southwest
- Available factory mulling for quick, hassle-free installation
- Operable Eyebrows & Half Eyebrows available in Series 150/160



▲ Operable eyebrow in clay (flat grid)



▲ White center pentagon with trapezoid flankers (flat grid)



▲ Almond full round

### Architectural Shape Options

See an associate for the full custom shape window selection along with the many possible grid configurations.




OVAL



QUARTER ROUND



HALF ROUND



ELLIPTICAL




FULL ROUND



TRIANGLE




TRAPEZOID




PENTAGON




OCTAGON



HALF EYEBROW




EBROW TRANSOM



EBROW



COLONIAL QUARTER CIRCLE




COLONIAL HALF CIRCLE



## Series 450 Brick Mould

Our top New Construction series combines incredible craftsmanship, seemingly unlimited options together with the strong, maintenance-free vinyl construction to deliver the best windows for any new home.



▲ White Series 455 double hung windows with white colonial flat grid

- Series 450 Double Hung available with Design Pressure (DP) 35 rating
- Series 451 2-lite Slider has a (DP) 25 rating up to 70-in x 49-in
- Series 451 3-lite Slider has a (DP) 25 rating up to 96-in x 48-in
- Series 460 DH available without J-Channel and DP 35 rating
- Series 465 available without J-Channel and DP 50 rating (window size tested 36-in x 74-in)
- Easy sash movement with a block & tackle balance system
- Outside air ventilates through standard half screen\*
- Integral nail fin simplifies installation
- Custom sizes available
- Jamb depth: 3-7/8-in

### Options

- Night latches position sashes for optimal ventilation and safety
- 3-1/4-in flat casing with optional sill nose style on 450/455
- Full screen\*
- Extension Jambs in paint or stain grade


\* Screens are not meant to restrain a child from falling through an open window.





## Series 150 Brick Mould

Our top New Construction series combines incredible craftsmanship, seemingly unlimited options together with the strong, maintenance-free vinyl construction to deliver the best windows for any new home.



▲ Black Series 150 double hung windows with black colonial grid

- Series 150 Single Hung available with Design Pressure (DP) 50 rating
- Series 151 Slider Design Pressure (DP) 30 rating (window size tested 36-in x 74-in)
- Bottom sash operates and tilts in for easy cleaning
- Block & tackle balance system for easy sash operation
- Sloped sill for easy water run-off
- Half screen comes standard\*
- Series 151/161 Slider (2- and 3-lite models) have matching brick mould exterior
- Integral nail fin simplifies installation
- 160 SH available without J-Channel
- Custom sizes available
- Jamb depth: 3-1/4-in

### Options

- Exterior 3-1/4-in New England style flat casing with sill nose design
- Factory mulling of twins, triples and architectural shapes
- Paintable or stainable wood jamb extensions (4-9/16-in and 6-9/16-in)
- Charcoal aluminum mesh screen
- Window Opening Control Device (WOCD) to prevent falling from a window (Single Hung Only)

▲ Recognized as a Lowe's Innovation Partner of the Year for the Series 150 Window in Exterior Black Laminate.

\* Screens are not meant to restrain a child from falling through an open window.



## Series 130 Brick Mould

With a step bevel frame, the Series 130 windows give a beautiful appearance to the exterior of your home. These windows offer exceptional value with outstanding strength, energy efficiency and lasting beauty.



▲ White Series 130 single hung window with colonial contoured grid


- Series 130 Single Hung Design Pressure (DP) 50 rating (window size tested 53-in x 77-in)
- Series 131 Slider Design Pressure (DP) 50 rating (window size tested 74-in x 50-in for 2-Lite and 108-in x 50-in for 3-Lite)
- Bottom sash tilts in for easy cleaning
- Block & tackle balance system for easy sash movement
- Warm-Edge spacer system provides energy-saving thermal performance
- Half screen comes standard\*
- Dual Sweep locks (standard at 27-1/4-in and above) help provide a weather-tight seal and added security
- Dual weather-stripping helps block air and water infiltration
- Custom sizes available
- Jamb depth: 3-in

Note: Regional Availability only



## Series 105

Our side-load single hung windows feature a vertically moving bottom sash that allows air flow and ventilation. With simple installation features, these windows offer an easily removable bottom sash for quick cleaning and maintenance.



▲ White Series 105 window

- Single hung window are available as side-load
- Design Pressure (DP) 50 rating on windows (window size tested 36-in x 96-in)
- Removable operable sash makes cleaning a breeze
- Improved security with sturdy sweep-lock
- Double pane insulated glass
- Sloped sill for easy water run-off
- Versatile half screen\* installed from the inside or outside
- 1-3/8" nail-fin setback for brick construction and select stucco applications
- Integrated nailing fin flange for quick, easy installation
- Modular sized so widths for multiple units are easy to calculate:  
3050 Single = 36-in    3050 Twin = 72-in    3050 Triple = 108-in

\* Screens are not meant to restrain a child from falling through an open window.



## Casement Windows

Versatile vinyl casements crank open easily to provide ventilation. The casement windows are designed for easy cleaning.



- Window opens full 90° for cleaning easily from inside your home
- Low profile, nesting handles
- Tandem locks come standard (34-in or greater heights)
- Full screens come standard on all casement vents\*
- Integrated nailing fin permits easy installation
- Jamb depth: 3-1/4-in

### Options

- 2-in simulated meeting rail
- Jamb extension

\* Screens are not meant to restrain a child from falling through an open window.



## Awning Windows

Great look for any home. The ultimate for continuous, controlled ventilation. Window opens to the outside, keeping indoors dry even on rainy days. Please see page 14 for more information.




- Low profile handle for a sleek look
- Full screen comes standard and is easily removed\*
- Easy installation with integrated nailing fin
- Jamb depth: 3-1/4-in



## Custom Shape Windows

From octagons and trapezoids to full circles, half rounds and more, we will custom build almost any window to help make your home stand out and fulfill specifications finish on all window hardware.\*\*

\*\* Please see page 15 for more information.



Half Round with Sunburst grid

Full Round with grid

Octagon with grid








## Sliding Vinyl Patio Door Options

RELIABILT sliding patio doors are available in a wide selection of design, energy efficiency and performance options. Please note that sliding patio door options can vary by series.



## Sliding Patio Door Feature Comparison (listed by model)

SLIDING PATIO DOOR OPTIONS	300	311	312	332
Grids	O	O	O	O
Blinds Between Glass (BBG)	O	n/a	O	O
Interior laminate (white exterior only)	n/a	n/a	O	O
Exterior laminate (white interior; not available on 3 and 4 panel doors)	n/a	n/a	O	O
Exterior painted color on 2 or 3 panel (white interior only; grids optional)	n/a	n/a	O	O
Keyed Lock	S	n/a	S	S
Coastal option	n/a	n/a	n/a	O
Max height	6-ft 8-in	6-ft 8-in	6-ft 8-in	8-ft
Max width	6-ft	6-ft	12-ft	12-ft
Screen included**	O	O	S	S
Custom sizes	n/a	n/a	O	O



▲ Model 312 in black laminate exterior with black hardware

\*In-store product. Optional features vary by store location. Screen sold separately.

\*\*Screens are not meant to restrain a child from falling through an open door.

\*\*\*Printing process may affect color shown. Please refer to actual window sample when selecting colors.

NOTE: Manufacturer reserves the right to substitute components as necessary.


S = Standard O = Option n/a = not applicable

### Vinyl Color Options\*\*\*



Note: Almond and Clay vinyl only available with Models 332 and 312 products


### Woodgrain & Laminate Options\*\*\*



Interior wood laminate windows have White vinyl exterior. Exterior Black laminate windows have White vinyl interior.

Note: Laminates only available with Models 332 and 312 products

### Exterior Painted Color Options\*\*\* Painted color windows have White vinyl interior.



Note: Exterior painted colors only available with Models 332 and 312 products



▲ Model 312 in white with Blinds Between the Glass

## Blinds Between the Glass Sliding Patio Doors




- Easy to raise, lower and tilt blinds
- Sealed between the glass, the blinds control light and privacy
- Blinds never need dusting and are safe for pets and children
- Available with thermal efficient Low-E glass
- Available in white on Model 332 and 312 in 6-ft x 6-ft 8-in, plus Model 312 in 5-ft x 6-ft 8-in, 9-ft x 6-ft 8-in and 12-ft 4-panel configurations





## Sliding Vinyl Patio Doors

RELIABILT offers the industry's widest selection of sliding patio doors. Separate models are available to meet the needs of any home and beautifully complement the RELIABILT vinyl window offering.



▲ Model 332 in white with deluxe color match hardware

### Model 332 Sliding Patio Doors

- Design Pressure (DP) 50 rating, great for coastal applications (5068, 6068 & 8068 doors)
- Additional security available with multi-point keyed lock
- Deluxe color match hardware
- Available in 6-ft, 8-in and 8-ft heights, and up to 12-ft wide
- Field reversible (6-ft, 8-in height only; not available with BBG)
- Heavy duty screen\*
- Easy installation with built-in 4-9/16-in jamb

### Model 312 Sliding Patio Doors

- Aluminum track for smoothly moving panel
- Keyed lock standard for added security
- Available in 6-ft, 8-in height, and up to 12-ft wide
- Field reversible (not available with BBG)
- Screen comes standard\*
- Easy installation for new construction



▲ Model 312 in black exterior laminate with oil bronze hardware

#### Options on Model 332 and Model 312:

- Available in thermal efficient Ultra Low-E glass and Argon Gas
- Snap in brick mould and foot bolt for added security (Model 332 only)
- Brushed nickel, brass or oil rubbed bronze handle
- 1-1/8-in simulated divided lite raised-style grid and 5/8-in Contoured Valance grid
- Stainless Steel Patio Door Coastal Package
- Blinds Between the Glass available in white on Model 332 in 6068 and Model 312 in 5068 and 6068
- Pet Resistant screen\*
- Custom sizes available (not field reversible)

### Model 311 Sliding Patio Doors



▲ Model 311 in white / white hardware

- Exceptional value
- Classic white handle with lock
- Available only in 5-ft, 6-ft and 6-ft, 4-in sizes
- Field reversible
- Offered in white vinyl only
- Screen is optional\*

### Model 300 Sliding Patio Doors



▲ Model 300 in white / nickel hardware

- Available in-stock in some areas of the country; check your local Lowe's store for inventory
- Energy-efficient low-E glass
- 5-ft x 6-ft, 8-in or 6-ft x 6-ft, 8-in sizes
- Available with Blinds Between the Glass or Grids Between the Glass in some locations
- Field reversible (not available with Blinds Between the Glass)
- Screen is optional\*

\* Screens are not meant to restrain a child from falling through an open door.