

## Sizes for V3 Series Gliding Patio Doors with Installation Flange - Two-Panel, Assembled

FORMERLY 5800 SERIES PATIO DOOR - ASSEMBLED - WITH NAILING FIN  
2-PANEL PATIO DOOR - MODEL 5800 - STANDARD SIZES


NOMINAL DOOR SIZE	ACTUAL DOOR SIZE (FRAME TTT)		ROUGH OPENING SIZE*		CLEAR OPENING SIZE		CLEAR OPENING SQ. FT.	VISIBLE GLASS PER OPENING		TOTAL VISIBLE GLASS SQ. FT.
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT		WIDTH	HEIGHT	
5068-2	59 5/8	x 80	60 1/8	x 80 1/2	22 5/16	x 76 1/8	11.80	25 11/16	x 72 1/16	25.71
6068-2	71 5/8	x 80	72 1/8	x 80 1/2	28 5/16	x 76 1/8	14.97	31 11/16	x 72 1/16	31.72
6468-2**	75 5/8	x 80	76 1/8	x 80 1/2	30 5/16	x 76 1/8	16.02	33 11/16	x 72 1/16	33.72
8068-2***	95 5/8	x 80	96 1/8	x 80 1/2	40 5/16	x 76 1/8	21.31	43 11/16	x 72 1/16	43.73
50610-2	59 5/8	x 82	60 1/8	x 82 1/2	22 5/16	x 78 1/8	12.11	25 11/16	x 74 1/16	26.42
60610-2	71 5/8	x 82	72 1/8	x 82 1/2	28 5/16	x 78 1/8	15.36	31 11/16	x 74 1/16	32.60
64610-2**	75 5/8	x 82	76 1/8	x 82 1/2	30 5/16	x 78 1/8	16.45	33 11/16	x 74 1/16	34.65
80610-2***	95 5/8	x 82	96 1/8	x 82 1/2	40 5/16	x 78 1/8	21.87	43 11/16	x 74 1/16	44.94
5080-2	59 5/8	x 96	60 1/8	x 96 1/2	22 5/16	x 92 1/8	14.27	25 11/16	x 88 1/16	31.42
6080-2	71 5/8	x 96	72 1/8	x 96 1/2	28 5/16	x 92 1/8	18.11	31 11/16	x 88 1/16	38.76
8080-2***	95 5/8	x 96	96 1/8	x 96 1/2	40 5/16	x 92 1/8	25.79	43 11/16	x 88 1/16	53.43

Clear Opening and Visible Glass Sizes are for one lite of glass. Total Visible Glass is combined area of all lites of glass in entire unit.  
To calculate actual glass size per opening, add 1" to the Visible Glass Width and add 1" to the Visible Glass Height.

\* Rough opening sizes shown are for frame construction. Consult a Silver Line dealer for other rough opening size information, such as with masonry or block applications.

\*\* These patio doors meet the American with Disabilities Act (ADA) minimum clear opening width requirement of 32" if ordered with optional handle kit. See ICC A117.1 for other ADA door requirements.

\*\*\* These patio doors meet the American with Disabilities Act (ADA) minimum clear opening width requirement of 32". See ICC A117.1 for other ADA door requirements.



## Sizes for V3 Series Gliding Patio Door Sidelights with Installation Flange

FORMERLY 5800 SERIES PATIO DOOR - ASSEMBLED - WITH NAILING FIN  
SIDE LITE - MODEL 5810 - STANDARD SIZES

NOMINAL WINDOW SIZE	ACTUAL WINDOW SIZE (FRAME TTT)		ROUGH OPENING SIZE*		VISIBLE GLASS PER OPENING		TOTAL VISIBLE GLASS SQ. FT.
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	
2/6 x 6/8	29 5/8	x 80	30 1/8	x 80 1/2	25 11/16	x 72 1/16	12.85
3/0 x 6/8	35 5/8	x 80	36 1/8	x 80 1/2	31 11/16	x 72 1/16	15.86
3/2 x 6/8	37 5/8	x 80	38 1/8	x 80 1/2	33 11/16	x 72 1/16	16.86
4/0 x 6/8	47 5/8	x 80	48 1/8	x 80 1/2	43 11/16	x 72 1/16	21.86
2/6 x 6/10	29 5/8	x 82	30 1/8	x 82 1/2	25 11/16	x 74 1/16	13.21
3/0 x 6/10	35 5/8	x 82	36 1/8	x 82 1/2	31 11/16	x 74 1/16	16.30
4/0 x 6/10	47 5/8	x 82	48 1/8	x 82 1/2	43 11/16	x 74 1/16	22.47
2/6 x 8/0	29 5/8	x 96	30 1/8	x 96 1/2	25 11/16	x 88 1/16	15.71
3/0 x 8/0	35 5/8	x 96	36 1/8	x 96 1/2	31 11/16	x 88 1/16	19.38

Visible Glass Sizes are for one lite of glass. Total Visible Glass is combined area of all lites of glass in entire unit.

To calculate actual glass size per opening, add 1" to the Visible Glass Width and add 1" to the Visible Glass Height.

The 5865 mullion adds 1/16" to the exact width of each mullion unit.

\* Rough opening sizes shown are for frame construction. Consult a Silver Line dealer for other rough opening size information, such as with masonry or block applications.

## Sizes for V3 Series Gliding Patio Door Transoms with Installation Flange

FORMERLY 5800 SERIES PATIO DOOR - ASSEMBLED - WITH NAILING FIN  
 TRANSOM - MODEL 5840 - STANDARD SIZES



NOMINAL WINDOW SIZE	ACTUAL WINDOW SIZE (FRAME TTT)		ROUGH OPENING SIZE*		VISIBLE GLASS PER OPENING		TOTAL VISIBLE GLASS SQ. FT.
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	
5/0 x 1/0	59 5/8	x 12	60 1/8	x 12 1/2	55 11/16	x 8 1/16	3.12
5/0 x 1/2	59 5/8	x 14	60 1/8	x 14 1/2	55 11/16	x 10 1/16	3.89
5/0 x 1/4	59 5/8	x 16	60 1/8	x 16 1/2	55 11/16	x 12 1/16	4.66
5/0 x 1/8	59 5/8	x 20	60 1/8	x 20 1/2	55 11/16	x 16 1/16	6.21
5/0 x 2/0	59 5/8	x 24	60 1/8	x 24 1/2	55 11/16	x 20 1/16	7.76
6/0 x 1/0	71 5/8	x 12	72 1/8	x 12 1/2	67 11/16	x 8 1/16	3.79
6/0 x 1/2	71 5/8	x 14	72 1/8	x 14 1/2	67 11/16	x 10 1/16	4.73
6/0 x 1/4	71 5/8	x 16	72 1/8	x 16 1/2	67 11/16	x 12 1/16	5.67
6/0 x 1/8	71 5/8	x 20	72 1/8	x 20 1/2	67 11/16	x 16 1/16	7.55
6/0 x 2/0	71 5/8	x 24	72 1/8	x 24 1/2	67 11/16	x 20 1/16	9.43
6/4 x 1/0	75 5/8	x 12	76 1/8	x 12 1/2	71 11/16	x 8 1/16	4.01
6/4 x 1/2	75 5/8	x 14	76 1/8	x 14 1/2	71 11/16	x 10 1/16	5.01
6/4 x 1/4	75 5/8	x 16	76 1/8	x 16 1/2	71 11/16	x 12 1/16	6.01
6/4 x 1/8	75 5/8	x 20	76 1/8	x 20 1/2	71 11/16	x 16 1/16	8.00
6/4 x 2/0	75 5/8	x 24	76 1/8	x 24 1/2	71 11/16	x 20 1/16	9.99
8/0 x 1/0	95 5/8	x 12	96 1/8	x 12 1/2	91 11/16	x 8 1/16	5.13
8/0 x 1/2	95 5/8	x 14	96 1/8	x 14 1/2	91 11/16	x 10 1/16	6.41
8/0 x 1/4	95 5/8	x 16	96 1/8	x 16 1/2	91 11/16	x 12 1/16	7.68
8/0 x 1/8	95 5/8	x 20	96 1/8	x 20 1/2	91 11/16	x 16 1/16	10.23
8/0 x 2/0	95 5/8	x 24	96 1/8	x 24 1/2	91 11/16	x 20 1/16	12.77
9/0 x 1/0	107 9/29	x 12	107 13/16	x 12 1/2	103 3/8	x 8 1/16	5.79
9/0 x 1/2	107 9/29	x 14	107 13/16	x 14 1/2	103 3/8	x 10 1/16	7.22
9/0 x 1/4	107 9/29	x 16	107 13/16	x 16 1/2	103 3/8	x 12 1/16	8.66
9/0 x 1/8	107 9/29	x 20	107 13/16	x 20 1/2	103 3/8	x 16 1/16	11.53
9/0 x 2/0	107 9/29	x 24	107 13/16	x 24 1/2	103 3/8	x 20 1/16	14.40

Visible Glass Sizes are for one lite of glass. Total Visible Glass is combined area of all lites of glass in entire unit.

To calculate actual glass size per opening, add 1" to the Visible Glass Width and add 1" to the Visible Glass Height.

The 5865 mullion adds 1/16" to the exact stacked height.

\* Rough opening sizes shown are for frame construction. Consult a Silver Line dealer for other rough opening size information, such as with masonry or block applications.