

Sizes for V1 Series Gliding Patio Doors with Installation Flange - Two-Panel, Assembled/Unassembled

FORMERLY 5700/5500 SERIES PATIO DOOR - ASSEMBLED & UNASSEMBLED
2-PANEL PATIO DOOR - MODEL 5700U/5502 - STANDARD SIZES

NOMINAL DOOR SIZE	ACTUAL DOOR SIZE (FRAME TTT)		ROUGH OPENING SIZE*		CLEAR OPENING SIZE		CLEAR OPENING SQ. FT.	VISIBLE GLASS PER OPENING		TOTAL VISIBLE GLASS SQ. FT.
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT		WIDTH	HEIGHT	
5068-2	59 5/8	x 79 3/4	60 1/8	x 80 1/4	24 1/8	x 75 5/8	12.67	25	x 73	25.35
6068-2**	71 5/8	x 79 3/4	72 1/8	x 80 1/4	30 1/8	x 75 5/8	15.82	31	x 73	31.43
6468-2***	75 5/8	x 79 3/4	76 1/8	x 80 1/4	32 1/8	x 75 5/8	16.87	33	x 73	33.46
8068-2***	95 5/8	x 79 3/4	96 1/8	x 80 1/4	42 1/8	x 75 5/8	22.12	43	x 73	43.60
50610-2	59 5/8	x 81 3/4	60 1/8	x 82 1/4	24 1/8	x 77 5/8	13.00	25	x 75	26.04
60610-2**	71 5/8	x 81 3/4	72 1/8	x 82 1/4	30 1/8	x 77 5/8	16.24	31	x 75	32.29
64610-2***	75 5/8	x 81 3/4	76 1/8	x 82 1/4	32 1/8	x 77 5/8	17.32	33	x 75	34.38
80610-2***	95 5/8	x 81 3/4	96 1/8	x 82 1/4	42 1/8	x 77 5/8	22.71	43	x 75	44.79
5080-2	59 5/8	x 95 3/4	60 1/8	x 96 1/4	24 1/8	x 91 5/8	15.35	25	x 89	30.90
6080-2	71 5/8	x 95 3/4	72 1/8	x 96 1/4	30 1/8	x 91 5/8	19.17	31	x 89	38.32

Clear Opening and Visible Glass Sizes are for one lite of glass. Total Visible Glass is combined area of all lites of glass in entire unit.

To calculate actual glass size per opening, add 1" to the Visible Glass Width and add 1" to the Visible Glass Height.

Sizes are the same whether optional installation flange is applied or not.

This Series patio door is compatible with the 5500 Series Side Lite and Transom windows.


* Rough opening sizes shown are for frame construction. Consult a Silver Line dealer for other rough opening size information, such as with masonry or block applications.

** These patio doors meet the American with Disabilities Act (ADA) minimum clear opening width requirement of 32" if ordered with optional handle kit.

See ICC A117.1 for other ADA door requirements.

*** These patio doors meet the American with Disabilities Act (ADA) minimum clear opening width requirement of 32".

See ICC A117.1 for other ADA door requirements.



Sizes for V1 Series Gliding Patio Doors with Installation Flange & Blinds-Between-the-Glass - Two-Panel, Assembled/Unassembled

FORMERLY 5700/5500 SERIES PATIO DOOR - ASSEMBLED & UNASSEMBLED
2-PANEL PATIO DOOR - MODEL 5700UBL/5502BL - STANDARD SIZES


NOMINAL DOOR SIZE	ACTUAL DOOR SIZE (FRAME TTT)		ROUGH OPENING SIZE*		CLEAR OPENING SIZE		CLEAR OPENING SQ. FT.	VISIBLE GLASS PER OPENING		TOTAL VISIBLE GLASS SQ. FT.
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT		WIDTH	HEIGHT	
5068-2	59 5/8	x 79 3/4	60 1/8	x 80 1/4	22 5/8	x 75 5/8	11.88	25	x 73	25.35
6068-2	71 5/8	x 79 3/4	72 1/8	x 80 1/4	28 5/8	x 75 5/8	15.03	31	x 73	31.43

Clear Opening and Visible Glass Sizes are for one lite of glass. Total Visible Glass is combined area of all lites of glass in entire unit.

To calculate actual glass size per opening, add 1" to the Visible Glass Width and add 1" to the Visible Glass Height.

Sizes are the same whether optional installation flange is applied or not.

* Rough opening sizes shown are for frame construction. Consult a Silver Line dealer for other rough opening size information, such as with masonry or block applications.



Sizes for V1 Series Gliding Patio Doors with Installation Flange - Three-Panel, Unassembled

FORMERLY 5500 SERIES PATIO DOOR - UNASSEMBLED
 3-PANEL PATIO DOOR - MODEL 5503 - STANDARD SIZES


NOMINAL DOOR SIZE	ACTUAL DOOR SIZE (FRAME TTT)		ROUGH OPENING SIZE*		CLEAR OPENING SIZE		CLEAR OPENING SQ. FT.	VISIBLE GLASS PER OPENING		TOTAL VISIBLE GLASS SQ. FT.
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT		WIDTH	HEIGHT	
9068-3	107 5/8	x 79 3/4	108 1/8	x 80 1/4	29 5/8	x 75 5/8	15.56	31	x 73	47.15
90610-3	107 5/8	x 81 3/4	108 1/8	x 82 1/4	29 5/8	x 77 5/8	15.97	31	x 75	48.44
12068-3	143 5/8	x 79 3/4	144 1/8	x 80 1/4	41 5/8	x 75 5/8	21.86	43	x 73	65.40

Clear Opening and Visible Glass Sizes are for one lite of glass. Total Visible Glass is combined area of all lites of glass in entire unit.

To calculate actual glass size per opening, add 1" to the Visible Glass Width and add 1" to the Visible Glass Height.

Sizes are the same whether optional installation flange is applied or not.

* Rough opening sizes shown are for frame construction. Consult a Silver Line dealer for other rough opening size information, such as with masonry or block applications.



Sizes for V1 Series Gliding Patio Doors with Installation Flange - Four-Panel, Unassembled

FORMERLY 5500 SERIES PATIO DOOR - UNASSEMBLED
4-PANEL PATIO DOOR - MODEL 5504 - STANDARD SIZES


NOMINAL DOOR SIZE	ACTUAL DOOR SIZE (FRAME TTT)		ROUGH OPENING SIZE*		CLEAR OPENING SIZE		CLEAR OPENING SQ. FT.	VISIBLE GLASS PER OPENING		TOTAL VISIBLE GLASS SQ. FT.
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT		WIDTH	HEIGHT	
10068-4	117 5/8	x 79 3/4	118 1/8	x 80 1/4	48 5/8	x 75 5/8	25.54	25	x 73	50.69
12068-4	141 5/8	x 79 3/4	142 1/8	x 80 1/4	60 5/8	x 75 5/8	31.84	31	x 73	62.86

Clear Opening and Visible Glass Sizes are for one lite of glass. Total Visible Glass is combined area of all lites of glass in entire unit.

To calculate actual glass size per opening, add 1" to the Visible Glass Width and add 1" to the Visible Glass Height.

Sizes are the same whether optional installation flange is applied or not.

* Rough opening sizes shown are for frame construction. Consult a Silver Line dealer for other rough opening size information, such as with masonry or block applications.



Sizes for V1 Series Gliding Patio Door Sidelights with Installation Flange

FORMERLY 5500 SERIES PATIO DOOR - UNASSEMBLED
SIDE LITE - MODEL 5510U - STANDARD SIZES

NOMINAL WINDOW SIZE	ACTUAL WINDOW SIZE (FRAME TTT)		ROUGH OPENING SIZE*		VISIBLE GLASS PER OPENING		TOTAL VISIBLE GLASS SQ. FT.
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	
5/0 x 6/8	31	79 3/4	31 1/2	80 1/4	25	73 3/8	12.74
6/0 x 6/8	37	79 3/4	37 1/2	80 1/4	31	73 3/8	15.80
6/4 x 6/8	39	79 3/4	39 1/2	80 1/4	33	73 3/8	16.82
8/0 x 6/8	49	79 3/4	49 1/2	80 1/4	43	73 3/8	21.91
5/0 x 8/0	31	95 3/4	31 1/2	96 1/4	25	89 3/8	15.52
6/0 x 8/0	37	95 3/4	37 1/2	96 1/4	31	89 3/8	19.24

Visible Glass Sizes are for one lite of glass. Total Visible Glass is combined area of all lites of glass in entire unit.

To calculate actual glass size per opening, add 1" to the Visible Glass Width and add 1" to the Visible Glass Height.

Sizes are the same whether optional installation flange is applied or not.

The 5555 mullion adds 7/8" to the exact width per mullion unit.

* Rough opening sizes shown are for frame construction. Consult a Silver Line dealer for other rough opening size information, such as with masonry or block applications.

Sizes for V1 Series Gliding Patio Door Transoms with Installation Flange

FORMERLY 5500 SERIES PATIO DOOR - UNASSEMBLED
 TRANSOM - MODEL 5540U - STANDARD SIZES



NOMINAL WINDOW SIZE	ACTUAL WINDOW SIZE (FRAME TTT)			ROUGH OPENING SIZE*			VISIBLE GLASS PER OPENING			TOTAL VISIBLE GLASS SQ. FT.
	WIDTH	HEIGHT		WIDTH	HEIGHT		WIDTH	HEIGHT		
3/0 x 1/2	35 5/8	x	14	36 1/8	x	14 1/2	29 5/8	x	8	1.65
3/0 x 2/0	35 5/8	x	24	36 1/8	x	24 1/2	29 5/8	x	18	3.70
5/0 x 1/0	59 5/8	x	12	60 1/8	x	12 1/2	53 5/8	x	6	2.23
5/0 x 1/2	59 5/8	x	14	60 1/8	x	14 1/2	53 5/8	x	8	2.98
5/0 x 1/4	59 5/8	x	16	60 1/8	x	16 1/2	53 5/8	x	10	3.72
5/0 x 1/8	59 5/8	x	20	60 1/8	x	20 1/2	53 5/8	x	14	5.21
5/0 x 2/0	59 5/8	x	24	60 1/8	x	24 1/2	53 5/8	x	18	6.70
6/0 x 1/0	71 5/8	x	12	72 1/8	x	12 1/2	65 5/8	x	6	2.73
6/0 x 1/2	71 5/8	x	14	72 1/8	x	14 1/2	65 5/8	x	8	3.65
6/0 x 1/4	71 5/8	x	16	72 1/8	x	16 1/2	65 5/8	x	10	4.56
6/0 x 1/8	71 5/8	x	20	72 1/8	x	20 1/2	65 5/8	x	14	6.38
6/0 x 2/0	71 5/8	x	24	72 1/8	x	24 1/2	65 5/8	x	18	8.20
6/0 x 3/0	71 5/8	x	36	72 1/8	x	36 1/2	65 5/8	x	30	13.67
6/4 x 1/0	75 5/8	x	12	76 1/8	x	12 1/2	69 5/8	x	6	2.90
6/4 x 1/2	75 5/8	x	14	76 1/8	x	14 1/2	69 5/8	x	8	3.87
6/4 x 1/4	75 5/8	x	16	76 1/8	x	16 1/2	69 5/8	x	10	4.84
6/4 x 1/8	75 5/8	x	20	76 1/8	x	20 1/2	69 5/8	x	14	6.77
6/4 x 2/0	75 5/8	x	24	76 1/8	x	24 1/2	69 5/8	x	18	8.70
8/0 x 1/0	95 5/8	x	12	96 1/8	x	12 1/2	89 5/8	x	6	3.73
8/0 x 1/2	95 5/8	x	14	96 1/8	x	14 1/2	89 5/8	x	8	4.98
8/0 x 1/4	95 5/8	x	16	96 1/8	x	16 1/2	89 5/8	x	10	6.22
8/0 x 1/8	95 5/8	x	20	96 1/8	x	20 1/2	89 5/8	x	14	8.71
8/0 x 2/0	95 5/8	x	24	96 1/8	x	24 1/2	89 5/8	x	18	11.20

Visible Glass Sizes are for one lite of glass. Total Visible Glass is combined area of all lites of glass in entire unit.

To calculate actual glass size per opening, add 1" to the Visible Glass Width and add 1" to the Visible Glass Height.

Sizes are the same whether optional installation flange is applied or not.

The 5555 mullion adds 7/8" to the exact height per mullied unit.

* Rough opening sizes shown are for frame construction. Consult a Silver Line dealer for other rough opening size information, such as with masonry or block applications.