

## Sizes for V3 Series Coastal Watch Gliding Patio Doors with Installation Flange - Two-Panel

FORMERLY 5800 IMPACT RESISTANT SERIES PATIO DOOR - WITH NAILING FIN 2-PANEL PATIO DOOR - MODEL 5802IMPACT - STANDARD DOOR SIZES


NOMINAL DOOR SIZE	ACTUAL DOOR SIZE (FRAME TTT)		ROUGH OPENING SIZE*		CLEAR OPENING SIZE		CLEAR OPENING SQ. FT.	VISIBLE GLASS PER OPENING		TOTAL VISIBLE GLASS SQ. FT.
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT		WIDTH	HEIGHT	
5068	59 5/8	x 80	60 1/8	x 80 1/2	22 5/16	x 76 1/8	11.80	25 11/16	x 72 1/16	25.71
6068	71 5/8	x 80	72 1/8	x 80 1/2	28 5/16	x 76 1/8	14.97	31 11/16	x 72 1/16	31.72
6468	75 5/8	x 80	76 1/8	x 80 1/2	30 5/16	x 76 1/8	16.02	33 11/16	x 72 1/16	33.72
8068	95 5/8	x 80	96 1/8	x 80 1/2	40 5/16	x 76 1/8	21.31	43 11/16	x 72 1/16	43.73
80610	95 5/8	x 82	96 1/8	x 82 1/2	40 5/16	x 78 1/8	21.87	43 11/16	x 74 1/16	44.94

Clear Opening Sizes are for one opening.

Visible Glass Sizes are for one lite of glass. Total Visible Glass is combined area of all lites of glass in entire unit.

To calculate actual glass size per opening, add 1" to the Visible Glass Width and add 1" to the Visible Glass Height.

\* Rough opening sizes shown are for frame construction. Consult a Silver Line dealer for other rough opening size information, such as with masonry or block applications.



## Sizes for V3 Series Coastal Watch Gliding Patio Door Sidelights with Installation Flange

FORMERLY 5800 IMPACT RESISTANT SERIES PATIO DOOR - WITH NAILING FIN  
SIDE LITE - MODEL 5810IMPACT - STANDARD WINDOW SIZES

NOMINAL WINDOW SIZE	ACTUAL WINDOW SIZE (FRAME TTT)		ROUGH OPENING SIZE*		VISIBLE GLASS PER OPENING		TOTAL VISIBLE GLASS SQ. FT.
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	
2/5 x 6/8	29 5/8	x 80	30 1/8	x 80 1/2	25 11/16	x 72 1/16	12.85
3/0 x 6/8	35 5/8	x 80	36 1/8	x 80 1/2	31 11/16	x 72 1/16	15.86
3/2 x 6/8	37 5/8	x 80	38 1/8	x 80 1/2	33 11/16	x 72 1/16	16.86
4/0 x 6/8	47 5/8	x 80	48 1/8	x 80 1/2	43 11/16	x 72 1/16	21.86

Visible Glass Sizes are for one lite of glass. Total Visible Glass is combined area of all lites of glass in entire unit.

To calculate actual glass size per opening, add 1" to the Visible Glass Width and add 1" to the Visible Glass Height.

\* Rough opening sizes shown are for frame construction. Consult a Silver Line dealer for other rough opening size information, such as with masonry or block applications.

## Sizes for V3 Series Coastal Watch Gliding Patio Door Transoms with Installation Flange

FORMERLY 5800 IMPACT RESISTANT SERIES PATIO DOOR - WITH NAILING FIN  
 TRANSOM - MODEL 5840IMPACT - STANDARD WINDOW SIZES



NOMINAL WINDOW SIZE	ACTUAL WINDOW SIZE (FRAME TTT)		ROUGH OPENING SIZE*		VISIBLE GLASS PER OPENING		TOTAL VISIBLE GLASS SQ. FT.
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	
5/0 x 1/0	59 5/8	x 12	60 1/8	x 12 1/2	55 11/16	x 8 1/16	3.12
5/0 x 1/2	59 5/8	x 14	60 1/8	x 14 1/2	55 11/16	x 10 1/16	3.89
5/0 x 1/4	59 5/8	x 16	60 1/8	x 16 1/2	55 11/16	x 12 1/16	4.66
5/0 x 1/8	59 5/8	x 20	60 1/8	x 20 1/2	55 11/16	x 16 1/16	6.21
5/0 x 2/0	59 5/8	x 24	60 1/8	x 24 1/2	55 11/16	x 20 1/16	7.76
6/0 x 1/0	71 5/8	x 12	72 1/8	x 12 1/2	67 11/16	x 8 1/16	3.79
6/0 x 1/2	71 5/8	x 14	72 1/8	x 14 1/2	67 11/16	x 10 1/16	4.73
6/0 x 1/4	71 5/8	x 16	72 1/8	x 16 1/2	67 11/16	x 12 1/16	5.67
6/0 x 1/8	71 5/8	x 20	72 1/8	x 20 1/2	67 11/16	x 16 1/16	7.55
6/0 x 2/0	71 5/8	x 24	72 1/8	x 24 1/2	67 11/16	x 20 1/16	9.43
6/4 x 1/0	75 5/8	x 12	76 1/8	x 12 1/2	71 11/16	x 8 1/16	4.01
6/4 x 1/2	75 5/8	x 14	76 1/8	x 14 1/2	71 11/16	x 10 1/16	5.01
6/4 x 1/4	75 5/8	x 16	76 1/8	x 16 1/2	71 11/16	x 12 1/16	6.01
6/4 x 1/8	75 5/8	x 20	76 1/8	x 20 1/2	71 11/16	x 16 1/16	8.00
6/4 x 2/0	75 5/8	x 24	76 1/8	x 24 1/2	71 11/16	x 20 1/16	9.99

Visible Glass Sizes are for one lite of glass. Total Visible Glass is combined area of all lites of glass in entire unit.  
 To calculate actual glass size per opening, add 1" to the Visible Glass Width and add 1" to the Visible Glass Height.

\* Rough opening sizes shown are for frame construction. Consult a Silver Line dealer for other rough opening size information, such as with masonry or block applications.