



## RELIABILT COASTAL SERIES 3300 AND 3600 VINYL WINDOWS AND PATIO DOORS

Product	Window Type	Series/Model #	RELIABILT Series/Model #	Test Size	Rating	Reinforcement	Air Infiltration (cfm/sq. ft)	Water Pressure (psf)	Structural Pressure (psf)	Florida Approval	TDI Approval	Test Report Number	Specification Type
Door Side Lite; Door Transom	Standard	5510	Reliabilt 3300 Series	49 x 96	R-PG35		0.05	5.43	+35/-35	N/A	N/A	E6290.01	Standard-AAMA 101
Door Side Lite; Door Transom	Standard	5540	Reliabilt 3300 Series	108 x 36	R-PG35		0.01	5.43	+35/-35	N/A	N/A	E6290.01	Standard-AAMA 101
Door Transom	Standard	5540	Reliabilt 3300 Series	80 x 36	R-PG35		0.06	6.89	+35/-35	N/A	N/A	26196-1	Standard-AAMA 101
Door Transom	Standard	2241GT	Reliabilt 3300 Series	108 x 24	R-PG35		0.01	7.52	+50/-50	N/A	N/A	D4556.01	Standard-AAMA 101
Fixed	Standard	2051	Reliabilt 3300 Series	96 x 54	R-PG35		0.02	5.43	+35/-35	14918	14918	G8444.01	Standard-AAMA 101
Fixed	Standard	2130	Reliabilt 3600 Series	38 x 53	R-PG60		0.03	9.20	+60/-60	14918	14918	G8447.01	Standard-AAMA 101
Fixed	Standard	2130	Reliabilt 3600 Series	53 x 63	R-PG60		0.02	9.20	+60/-60	14918	14918	G8446.01	Standard-AAMA 101
Fixed	Standard	2130	Reliabilt 3600 Series	53 x 73	R-PG55		0.01	12.12	+55/-55	17767	17767	E5302.03	Standard-AAMA 101
Fixed	Integral Mull	2252	Reliabilt 3300 Series	72 x 60	R-PG35	E Mull	0.01	6.06	+35/-35	14918	14918	G4541.01	Standard-AAMA 101
Fixed	Integral Mull	2252	Reliabilt 3300 Series	85.5 x 84	R-PG15	E Mull	0.01	2.92	+15/-15	14918	14918	H1571.01	Standard-AAMA 101
Fixed	Integral Mull	2253	Reliabilt 3300 Series	108 x 48	R-PG35	E Mull	0.01	7.52	+35/-35	14918	14918	D8518.03	Standard-AAMA 101
Fixed	Integral Mull	2254	Reliabilt 3300 Series	107 x 74	R-PG15	E Mull	0.01	2.93	+15/-15	N/A	N/A	H6097.01	Standard-AAMA 101
Fixed	Standard	2251/2351	Reliabilt 3300 Series	38 x 53	R-PG60		0.03	9.20	+60/-60	14918	14918	G8443.01	Standard-AAMA 101
Fixed	Standard	2251/2351	Reliabilt 3300 Series	53 x 63	R-PG60		0.02	9.20	+60/-60	14918	14918	G8442.01	Standard-AAMA 101
Fixed	Standard	2251/2351	Reliabilt 3300 Series	96 x 54	R-PG50		0.01	7.52	+50/-50	14918	14918	G1001.01	Standard-AAMA 101
Fixed	Standard	2251/2351	Reliabilt 3300 Series	60 x 74	CW-PG50		0.01	7.52	+50/-50	14918	14918	G1494.01	Standard-AAMA 101
Horizontal Slider	Standard	2092	Reliabilt 3300 Series	73 x 61	R-PG15	E2	0.11	2.93	+15/-15	N/A	N/A	H0478.01	Standard-AAMA 101
Horizontal Slider	Standard	2093	Reliabilt 3300 Series	108 x 60	R-PG15	E2	0.05	2.92	+15/-15	N/A	N/A	I1523.01	Standard-AAMA 101
Horizontal Slider	Standard	2392	Reliabilt 3300 Series	73 x 50	R-PG20	E2	0.09	3.13	+20/-20	N/A	N/A	D9960.01	Standard-AAMA 101
Horizontal Slider	Standard	2392	Reliabilt 3300 Series	73 x 63	R-PG15	E2	0.09	2.92	+15/-15	N/A	N/A	D9960.01	Standard-AAMA 101
Single Hung	Standard	2001	Reliabilt 3300 Series	48 x 80	R-PG15		0.24	5.43	+15/-15	14911	14911	G1002.01	Standard-AAMA 101
Single Hung	Standard	2001	Reliabilt 3300 Series	36 x 62	R-PG35		0.24	5.43	+35/-35	14911	14911	G1002.01	Standard-AAMA 101
Single Hung	Integral Mull	2002	Reliabilt 3300 Series	96 x 80	R-PG15	E2 & Mull	0.08	2.93	+15/-15	14911	14911	H2548.01	Standard-AAMA 101
Single Hung	Integral Mull	2002	Reliabilt 3300 Series	96 x 72	R-PG20	E2 & Mull	0.10	3.13	+20/-20	14911	14911	H9445.01	Standard-AAMA 101
Single Hung	Integral Mull	2003	Reliabilt 3300 Series	108 x 80	R-PG25	E2 & Mull	0.17	5.43	+25/-25	14911	14911	G1003.01	Standard-AAMA 101
Single Hung	Integral Mull	2003	Reliabilt 3300 Series	108 x 62	R-PG35	E2 & Mull	0.17	5.43	+35/-35	14911	14911	G1003.01	Standard-AAMA 101



# RELIABILT COASTAL SERIES 3300 AND 3600 VINYL WINDOWS AND PATIO DOORS

Product	Window Type	Series/Model #	RELIABILT Series/Model #	Test Size	Rating	Reinforcement	Air Infiltration (cfm/sq. ft)	Water Pressure (psf)	Structural Pressure (psf)	Florida Approval	TDI Approval	Test Report Number	Specification Type
Single Hung	Oriel	2201	Reliablilt 3300 Series	48 x 96	R-PG20		0.10	3.13	+20/-20	14911	14911	H0481.01	Standard-AAMA 101
Single Hung	Integral Mull	2230	Reliablilt 3300 Series	107 x 74	R-PG15	E2 & Mull	0.15	2.93	+15/-15	N/A	N/A	G8438.01	Standard-AAMA 101
Single Hung	Integral Mull	2230	Reliablilt 3300 Series	95.5 x 72	R-PG20	E2 & Mull	0.22	3.13	+20/-20	N/A	N/A	H1569.01	Standard-AAMA 101
Single Hung	Standard	2127FL/2127Fin	Reliablilt 3600 Series	52 x 73	R-PG55	A3	0.06	8.35	+55/-55	14911	14911	G6367.01	Standard-AAMA 101
Single Hung	Standard	2127FL/2127Fin	Reliablilt 3600 Series	52 x 63	PG-60	A3	0.03	9.19	+60/-60	14911	14911	G6367.01	Standard-AAMA 101
Single Hung	Integral Mull	2202/2302	Reliablilt 3300 Series	71.5 x 72	R-PG25	E2 & Mull	0.20	3.76	+25/-25	14911	14911	H0480.01	Standard-AAMA 101
Single Hung	Integral Mull	2202/2302	Reliablilt 3300 Series	96 x 84	R-PG15	E2 & Mull	0.18	2.92	+15/-15	14911	14911	F9655.01	Standard-AAMA 101
Single Hung	Integral Mull	2203/2303	Reliablilt 3300 Series	108 x 77	R-PG20	E2 & Mull	0.29	3.13	+20/-20	14911	14911	C6383.01	Standard-AAMA 101
Single Hung	Integral Mull	2203/2303	Reliablilt 3300 Series	108 x 72	R-PG25	E2 & Mull	0.14	3.76	+25/-25	14911	14911	C6383.01	Standard-AAMA 101
Door Side Lite	Standard	5810	Reliablilt 3330 Series	48 x 96	R-PG50		0.03	7.52	+50/-50	14918	14918	G9443.01	Standard-AAMA 101
Door Transom	Standard	5840	Reliablilt 3330 Series	107.4 x 24	R-PG50		0.03	7.52	+50/-50	14918	14918	G9446.01	Standard-AAMA 101
Sliding Door	Standard	5802	Reliablilt 3330 Series	96 x 96	LC-PG30	E3	0.11	4.59	+30/-30	14998	14998	F5834.01	Standard-AAMA 101
Sliding Door	Standard	5802	Reliablilt 3330 Series	96 x 82	R-PG15	E2	0.13	3.13	+15/-15	14998	14998	F5837.01	Standard-AAMA 101
Sliding Door	Standard	5802	Reliablilt 3330 Series	96 x 80	R-PG20	E2	0.13	3.13	+20/-20	14998	14998	F5837.01	Standard-AAMA 101
Sliding Door	Standard	5802	Reliablilt 3330 Series	72 x 80	R-PG35	E3	0.18	5.43	+35/-35	14998	14998	F5838.01	Standard-AAMA 101
Sliding Door	Standard	5802	Reliablilt 3330 Series	76 x 82	R-PG25	E3	0.13	3.76	+25/-25	14998	14998	G9449.01	Standard-AAMA 101
Sliding Door	Standard	5802	Reliablilt 3330 Series	96 x 82	R-PG50	E5	0.11	7.52	+50/-50	14998	14998	D5418.07	Standard-AAMA 101
Fixed	Standard	2130	Reliablilt 3600 Series	53 x 73	R-PG55		0.01	12.12	+55/-55	17767	17767	E5302.01	IMP-Missile D, Wind Zone 4, HVHZ IMP-Large Missile
Single Hung	Standard	2127 Impact	Reliablilt 3600 Series	52 x 73	R-PG55	A3	0.10	8.25	+55/-60	N/A	N/A	I1524.01	IMP-Missile D, Wind Zone 4, HVHZ IMP-Large Missile
Fixed	Standard	2130	Reliablilt 3600 Series	53 x 73	R-PG55		0.01	12.12	+55/-55	17767	17767	E5302.02	IMP-Missile D, Wind Zone 3
Single Hung	Standard	2127 Impact	Reliablilt 3600 Series	52 x 73	R-PG55	A3			+55/-60	14911	14911	I2381.01	IMP-Missile D, Wind Zone 3
Sliding Door	Standard	5802	Reliablilt 36000 Series	95.5 x 81.5	R-PG50	E5			+50/-50	14998	14998	D5568.07	IMP-Missile D, Wind Zone 3
Fixed	Standard	2130	Reliablilt 3600 Series	38 x 53	R-PG65		0.01	9.75	+65/-65	N/A	N/A	15663-1	HVHZ Non-Impact
Fixed	Standard	2130	Reliablilt 3600 Series	63 x 53	R-65		0.01	9.75	+65/-65	N/A	N/A	15662-1	HVHZ Non-Impact
Single Hung	Standard	2127FL/2127Fin	Reliablilt 3600 Series	52 x 62.5	R-PG60		0.10	9.75	+60/-60	14911	14911	TEL 01410311	HVHZ Non-Impact
Single Hung	Standard	2127FL/2127Fin	Reliablilt 3600 Series	52 x 62.5	R-55		0.10	9.75	+55/-60	N/A	N/A	TEL01410311	HVHZ Non-Impact
Sliding Door	Standard	5502/5702	Reliablilt 3300 Series	72 x 80	R-PG50	E3/E1/E4	0.02	7.52	+50/-50	20101	N/A	F3692.01	HVHZ Non-Impact

TEST REPORTS ARE AVAILABLE UPON REQUEST